



RESEARCH

INTEGRATED IAM

SERVICES

INSIDE DELPHION

[On Air](#) [Hot Files](#) [Saved Searches](#)[My Account](#) | [Products](#) | [News](#) | [Events](#)Search: [Quick/Number](#) [Boolean](#) [Advanced](#)

The Delphion Integrated View


Buy Now: [More choices...](#)Tools: Add to Work File: [Create new Work](#)View: [INPADOC](#) | Jump to: [Top](#)☒ EmailTitle: **JP2001002604A2: PRODUCTION OF DIOLS**Country: **JP Japan**Kind: **A2 Document Laid open to Public inspection**Inventor: **KONISHI MITSUO;
UENO EIZABURO;**Assignee: **ASAHI CHEM IND CO LTD**
[News, Profiles, Stocks and More about this company](#)Published / Filed: **Jan. 9, 2001 / June 17, 1999**Application Number: **JP1999000170736**IPC Code: **C07C 29/149; B01J 23/652; B01J 23/656; C07C 31/20; C07B 61/00;**Priority Number: **June 17, 1999 JP1999000170736**

Abstract:

PROBLEM TO BE SOLVED: To obtain a mixture of butanediol and a specific diol in high yield by allowing a mixture of succinic acid and a specific dicarboxylic acid to react with hydrogen in the presence of a specific catalyst and water.

SOLUTION: A mixture of (A) succinic acid and (B) a dicarboxylic acid of the formula: HOOC-R-COOH (R is a 3-20C saturated divalent hydrocarbon) are allowed to react with (C) hydrogen in the presence of (D) a catalyst prepared by carrying one or more metals selected from ruthenium and tin, rhenium, molybdenum, palladium, silver and nickel supported by carbon carrier (activated carbon) that is preliminarily treated with a mineral acid and (E) water under a pressure of 1-25 Mpa, at 100-300°C to obtain a mixture of butanediol-1,4 and a diol of the formula: HO-CH₂-R-CH₂OH. As a mixture of the component A and the component B, are cited preferably a mixtures of dicarboxylic acids including the component A, glutaric acid and adipic acid.

COPYRIGHT: (C)2001,JPO

Family: [Show 4 known family members](#)Other Abstract Info: **CHEMABS 134(05)058222A CHEMABS 134(05)058222A DERABS C2001-303498 DERABS C2001-303498**

Nominate

[this for the Gallery...](#)**BEST AVAILABLE COPY**

8/14/2002

2001002604 A



(19)

(11) Publication number: **200**

Generated Document.

PATENT ABSTRACTS OF JAPAN(21) Application number: **11170736**(51) Intl. Cl.: **C07C 29/149 B01J 23/652 B**
C07C 31/20(22) Application date: **17.06.99**

(30) Priority: (43) Date of application publication: 09.01.01 (84) Designated contracting states:	(71) Applicant: ASAHI CHEM IND CO (72) Inventor: KONISHI MITSUO UENO EIZABURO (74) Representative:
--	--

(54) PRODUCTION OF DIOLS

(57) Abstract:

PROBLEM TO BE SOLVED: To obtain a mixture of butanediol and a specific diol in high yield by allowing a mixture of succinic acid and a specific dicarboxylic acid to react with hydrogen in the presence of a specific catalyst and water.

SOLUTION: A mixture of (A) succinic acid and (B) a dicarboxylic acid of the formula: HOOC-R-COOH (R is a 3-20C saturated divalent hydrocarbon) are allowed to react with (C) hydrogen in the presence of (D) a catalyst prepared by carrying one or more metals selected from ruthenium and tin, rhenium, molybdenum, palladium, silver and nickel supported by carbon carrier (activated carbon) that is preliminarily treated with a mineral acid and (E) water under a pressure of 1-25 Mpa, at 100-300°C to obtain a mixture of butandiol-1,4 and a diol of the formula: $\text{HO-CH}_2\text{-R-CH}_2\text{OH}$. As a mixture of the

component A and the component B,
are cited preferably a mixtures of
dicarboxylic acids including the
component A, glutaric acid and adipic
acid.

COPYRIGHT: (C)2001,JPO